

Infant Formula and Hypoallergenic Powder Products

When accuracy is essential, gram measurements should be used. Household measurements are provided for convenience when larger variance in prepared dilution is acceptable.

Enfamil® Products	Scoop (g)	Scoop (Cal)	Measuring cup (g)	Cal per g pwd	Protein (g/scoop)	Tbsp (g)*	Tsp (g)*	Displacement (mL/g)
Optimum™	8.8	45	114	5.1	0.95	7.1	2.4	0.77
Optimum™ Gentlease®	8.7	44	121	5.1	1.02	7.6	2.5	0.77
Infant	8.8	45	113	5.1	0.9	7.1	2.4	0.77
NeuroPro™ Infant	8.8	44	113	5.1	0.93	7.1	2.4	0.77
Gentlease®	8.7	44	111	5.1	1.02	6.9	2.3	0.77
NeuroPro™ Gentlease®	8.7	45	111	5.1	1.03	6.9	2.3	0.77
Sensitive	8.9	45	108	5.0	0.98	6.8	2.3	0.77
A.R.™	9	45	97	5.0	1.13	6.1	2.0	0.76
NeuroPro™ EnfaCare®	9.8	49	107	5.0	1.37	6.7	2.2	0.78
Reguline®	8.7	44	112	5.1	1.02	7	2.3	0.77
Prosobee®	8.8	45	101	5.1	1.12	6.3	2.1	0.77
Hypoallergenic Products	Scoop (g)	Scoop (Cal)	Measuring cup (g)	Cal per g pwd	Protein (g/scoop)	Tbsp (g)*	Tsp (g)*	Displacement (mL/g)
Nutramigen® with Probiotic LGG®	9†	45	102†	5.0	1.26	6.4†	2.1†	0.78
Nutramigen® with Probiotic LGG® Toddler	9.3†	45	106†	4.8	1.12	6.6†	2.2†	0.74
PurAmino™	4.5	23	115	5.0	0.63	7.2	2.4	0.77
PurAmino™ Jr Unfl/Vanilla	6.8	33	112	4.9	1.05	7	2.3	0.77
Pregestimil®	9.0†	45	128†	5.0	1.26	8.0†	2.7†	0.78

*Grams (g) per Tablespoon and g per teaspoon are extrapolated from g per cup.

†Packed level measure – all others are unpacked level measures.

NA = Not Available (until several batches have been evaluated for grams per cup)

Powdered formulas are not commercially sterile and should not be used for premature infants or immunocompromised patients, unless clinically required, and then under strict supervision of preparation and use.

Table 441, Rev 5/25 RKT-M-76763

