

| PATIENT DIAGNOSIS | ICD-10 CODE | PRODUCT SOLUTION |
|--|-------------|--|
| SPECIAL MEDICAL NEEDS | | |
| Chyllothorax | I89.8 | Enfaport™ |
| LCHAD deficiency | E71.310 | |
| SOLUTIONS | | |
| Galactosemia | E74.21 | Enfamil® ProSobee® |
| Lactose intolerance | E73.9 | |
| Gastroesophageal reflux disease (GERD) | K21.9 | Enfamil A.R.™ |
| Newborn esophageal reflux | P78.83 | |
| Newborn regurgitation of food | P92.1 | |
| Excessive crying, infant | R68.11 | Enfamil NeuroPro™ Gentlease®, Enfamil NeuroPro™ Sensitive, or Nutramigen® |
| Excessive gas | R14.0 | |
| Fussy infant | R68.12 | |
| Abnormal stools | R19.5 | Enfamil® Reguline® |
| Constipation | K59.00 | |



This list is provided as a resource and may not contain all possible ICD-10 codes. Consult the ICD-10 for Mortality and Morbidity Statistics or your hospital's preferred resource list for more information.



Patient Diagnosis ICD-10 Codes

for Reckitt/Mead Johnson Nutrition Product Solutions
For WIC®* and Insurance

| PATIENT DIAGNOSIS | ICD-10 CODE | PRODUCT SOLUTION |
|---|-------------|---|
| PREMATURE/NICU/POST-DISCHARGE | | |
| Extremely low birth weight, 999 grams or less | P07.00 | Enfamil® Premature (20, 24, 24 HP, 30 Cal), Enfamil® Human Milk Fortifier Powder, Enfamil® Human Milk Fortifier Acidified Liquid, or Enfamil® Liquid Human Milk Fortifier (Standard or High Protein) |
| Extremely low birth weight, 499 grams or less | P07.01 | |
| Extremely low birth weight, 500-749 grams | P07.02 | |
| Extremely low birth weight, 750-999 grams | P07.03 | |
| Low birth weight, 2499 grams or less | P07.10 | |
| Low birth weight, 1000–1249 grams | P07.14 | |
| Low birth weight, 1250–1499 grams | P07.15 | |
| Low birth weight, 1500–1749 grams | P07.16 | |
| Low birth weight, 1750–1999 grams | P07.17 | |
| Low birth weight, 2000–2499 grams | P07.18 | |
| Extreme prematurity of infant, less than 27 weeks gestational age | P07.26 | |
| Preterm newborn (infant) | P07.30 | |
| Preterm newborn, 28 completed weeks gestational age | P07.31 | |
| Preterm newborn, 29 completed weeks gestational age | P07.32 | |
| Preterm newborn, 30 completed weeks gestational age | P07.33 | |
| Preterm newborn, 31 completed weeks gestational age | P07.34 | |
| Preterm newborn, 32 completed weeks gestational age | P07.35 | |
| Preterm newborn, 33 completed weeks gestational age | P07.36 | |
| Preterm newborn, 34 completed weeks gestational age | P07.37 | |
| Preterm newborn, 35 completed weeks gestational age | P07.38 | |
| Preterm newborn, 36 completed weeks gestational age | P07.39 | |
| Delayed developmental milestones | R62.0 | Enfamil NeuroPro™ Enfacare® |
| Developmental delay | R62.50 | |
| Failure to thrive (newborn) | P92.6 | |
| Failure to thrive (child) | R62.51 | |
| Feeding issues in infant | R63.3 | |

| PATIENT DIAGNOSIS | ICD-10 CODE | Z-CODE | PRODUCT SOLUTION |
|---|-------------|---|---------------------------------|
| ALLERGY/DIGESTIVE | | | |
| Anaphylaxis, due to food | T78.0 | | Nutramigen® |
| Atopic dermatitis due to food allergy | L27.2 | | |
| Colic | R10.83 | | |
| Gastroesophageal reflux disease (GERD) | K21.9 | | |
| | | <5th percentile Z68.51 | |
| | | 5th percentile to <85th percentile Z68.52 | |
| Underweight (add "Z" code for weight percentile) | R63.6 | 85th percentile to 95th percentile Z68.53 | |
| | | >95th percentile for age Z68.54 | |
| Allergic rhinitis due to food allergy | J30.5 | | Nutramigen or PurAmino™ |
| Allergic gastroenteritis and colitis (add "Z" code signifying allergen) | K52.2 | Allergy to peanuts Z91.010 Allergy to milk products Z91.011 Allergy to eggs Z91.012 Allergy to seafood Z91.013 Other food allergies Z91.018 | |
| Other allergic and dietetic gastroenteritis | K52.29 | | |
| Bloody stool(s) [newborn] | P54.1 | | |
| Bloody stool(s) [non-newborn] | K92.1 | | |
| Developmental delay | R62.50 | | |
| Failure to thrive (newborn) | P92.6 | | |
| Failure to thrive (child) | R62.51 | | |
| Food allergy | T78.40XA | | |
| | | | |
| Eosinophilia | D72.10 | | PurAmino |
| Eosinophilic esophagitis (EoE) | K20.0 | | |
| Eosinophilic gastritis or gastroenteritis | K52.81 | | |
| Eosinophilic colitis | K52.82 | | |
| Malabsorption due to intolerance | K90.4 | | |
| Anaphylaxis, due to food | T78.0 | | PurAmino or Pregestimil® |
| Food Protein Induced Enterocolitis (FPIES) | K52.22 | | |
| Intestinal malabsorption | E70.0 | | |
| Short bowel syndrome | K90.82 | | |
| | | | |

| PATIENT DIAGNOSIS | ICD-10 CODE | PRODUCT SOLUTION |
|---|----------------------|---|
| METABOLICS | | |
| Classical hyperphenylalaninemia | E70.0 | Phenyl-Free® 1, Phenyl-Free® 2, or Phenyl-Free® 2 HP |
| Metabolic Disorders | Z13.9 | |
| Phenylketonuria | E70.1 | |
| Tyrosinemia | E70.21 | TYROS 1 or TYROS 2 |
| Maple syrup urine disease | E70.1 | BCAD 1 or BCAD 2 |
| Leucine metabolism disorders | E71.19 E71.11 | LMD |
| Isovaleric acidemia, propionic acidemic, methylmalonic acidemia | E71.120 E71.121 | OA 1, OA 2, or LMD |
| Homocystinuria | E72.11 | HCY 1 or HCY 2 |
| Urea cycle disorders | E72.20 (unspecified) | WND® 1 or WND® 2 |
| Amino acid metabolism disorder | E72.9 (unspecified) | PFD 2 or PFD Toddler |
| Glutaric acidemia type 1 | E72.3 | GA |