



Cow's Milk Allergy Indications

Different babies may show different indications for cow's milk allergy. If your baby is showing any of the issues below, ask your baby's doctor about cow's milk allergy.

1. DIGESTIVE



Nausea/Vomiting

Feel sick or projectile vomit



Colic

Excessive crying for more than 3 hours a day, for more than 3 days a week



Unusual Stools

Blood or mucus in stool



Constipation

Stools could be difficult to pass, several days may go by without producing anything



Diarrhea

Frequent, watery, smelly loose stools

2. SKIN



Rash & Eczema

Skin is red, itchy, dry, and cracked



Hives or Rashes

Itchy red rash, hives, or swelling of the lips, face, and around the eyes

3. RESPIRATORY



Hay Fever-Like

Sneezing and an itchy, runny, or blocked nose



Breathing Difficulties or Wheezing

Coughing, chest tightness, wheezing, and shortness of breath

**Faster cow's milk allergy relief today.*†‡
Fewer allergy challenges tomorrow.§**

Nutramigen® with probiotic LGG®^{||} is the #1 trusted hypoallergenic infant formula brand by Pediatricians.[¶]

* Reduced crying in ~90% of infants within 48 hours when managing colic due to cow's milk allergy. Studied before the addition of DHA, ARA, or LGG.

† Reduced eczema (SCORAD index) and blood in stools within 1 month compared to Nutramigen® without LGG.

‡ Helps more babies overcome cow's milk allergy and return to consuming regular milk proteins in as fast as 6 months of feeding compared to Nutramigen without LGG.

§ Published study showing fewer incidences of asthma, rhinoconjunctivitis, urticaria, and eczema at 3 years compared to Nutramigen without LGG. Feeding began at 4 months of age or older in the study.

¶ LGG is a registered trademark of Chr. Hansen A/S.

¶ Among those who have a preference.



New Look, Same Formulation