



FACTORY AUTOMATION

Visual Inspection Software MELSOFT VIXIO















Our Factory Automation business is focused on "Automating the World" to make it a better, more sustainable environment supporting manufacturing and society, celebrating diversity and contributing towards an active and fulfilling role.

Mitsubishi Electric is involved in many areas including the following:

Energy and Electric Systems

A wide range of power and electrical products from generators to large-scale displays.

Electronic Devices

A wide portfolio of cutting-edge semiconductor devices for systems and products.

Home Appliance

Dependable consumer products like air conditioners and home entertainment systems.

Information and Communication Systems

Commercial and consumer-centric equipment, products and systems.

Industrial Automation Systems

Maximizing productivity and efficiency with cutting-edge automation technology.



The Mitsubishi Electric Group is actively solving social issues, such as decarbonization and labor shortages, by providing production sites with energy-saving equipment and solutions that utilize automation systems, thereby helping towards a sustainable society.

Concept · · · · · · · · · · · · · · · · · · ·
MELSOFT VIXIO Features · · · · · · · · · · · · · · · · · · ·
Feature 1 Featuring a high-speed, high-accuracy Al algorithm ideal for factory automation · · · · · · · · · · · · · · · · · · ·
Feature 2 Simple operation settings without programming · · · · · · · · · · · · · · · · · · ·
Feature 3 Improved traceability · · · · · · · · · · · · · · · · · · ·
Application Scenes · · · · · · · · · · · · · · · · · · ·
Operation Processes · · · · · · · · · · · · · · · · ·
Product Specifications · · · · · · · · · · · · · · · · · · ·
Support

Concerns in the inspection process

- ✓ Labor shortages increase the burden on inspectors
- ☑ Generational changes in inspectors make consistent visual inspection difficult
- increasing

We want to implement AI for visual

inspection, but we find it challenging due to

our lack of Al expertise.

The solution -

Visual Inspection Software










Anomaly detection

With conventional learning methods



To increase accuracy, it is necessary to learn from a large number of images, so the learning time is long and it is difficult to rebuild models.



Anomaly detection

Learn from non-defective product images to remember "Features of non-defective products"









Al that detects differences from non-defective products

High-speed model generation in seconds

Inference results (heat map)

Point

Even unexpected defects can be detected.

Defective point detection

With conventional learning methods



Although learning requires a large number of defective product images, it is difficult to obtain the necessary number of such images in the manufacturing industry.

Detect specific abnormality patterns

Defective point detection

Learn defects features













Al that detects defects

Model generation from even a single defective product image Inference results (heat map)

Point

Detection of similar defects even in different locations or with different sizes is possible.



Feature 2

Simple operation settings without programming

Al introduction challenge (2)

Even if an Al model could be generated, specialized programming is required to implement it in the system.

With MELSOFT VIXIO

Easily set up tasks in a flowchart format.

Settings from model generation to monitor screen creation can be performed with a single tool.

Easy system construction


All functions necessary to construct an Al visual inspection system can be easily set up without programming.

Setting the overall operation



Point

Set the overall operation flow in a flowchart format.




Settings for communication with programmable controllers*



Point

Easy data exchange with various programmable controllers.




^{*:} For details on connection methods, see page 17.

Camera settings



Point

GigE Vision® Camera settings can be configured in the camera's various settings.




Inspection monitor screen




Point

A monitor screen can be created by arranging the display elements of multiple monitors in a dashboard format








Traceability in coordination with a programmable controller

Automatic linking of manufacturing information and judgment results.





Application scenes

CASE 01

Combination of rule-based and Al-based inspections



Before

Rule-based-only inspection

When rule-based inspection is applied to items for which rules are difficult to define, numerous mis-detections occur.



CASE 02

Primary screening with AI reduces time and equalizes



Before

Sorting by human eyes and detailed inspection of defective products

Products identified as "possible defectives" by human eyes in the primary sorting must also be checked by the person in charge of quality assurance, which requires human labor.



CASE 03

Reduce inspector workload by combining human and Al



Before

Visual inspection process (by human eyes) by only one person

One person in charge of inspection visually checks all products, which leads to overlooking of defective products due to heavy workload.



improves the accuracy of the inspection process

After

Combination of rule-based and Al-based inspections

Introducing MELSOFT VIXIO AI inspection and implementing into existing rule-based inspection improves inspection accuracy.



inspection quality

After

Perform primary screening with AI

Al-based primary screening reduces the number of products requiring secondary human screening.



inspection


After


Double check by Al and human eyes

The introduction of double-checking reduces the risk of overlooking defective products and ensures consistency of quality between operators.




Learning phase







System configuration



Inspection phase







Product specifications


■ License system

Туре	Model	Form	Period of use	Remarks
Development license	SW1DND-AIVILE-MQ12	DVD-R	1 year	
(short-term) [®]	SW1DNN-AIVILE-MQ2	Certificate	2 months	Perform AI model learning and perform inspections with tasks using the generated AI models.
Development license (one-time purchase)*	SW1DNN-AIVILE-M	Certificate	Perpetual	,
Run-time license ^o	SW1DND-AIVIIN-M	DVD-R	Perpetual	Deploy or import AI models generated with the development license to set tasks and perform inspections with the imported AI models.
	SW1DNN-AIVIIN-M	Certificate		

^{*:} Node-locked license for one computer

■ Concept

Project	Data set	Al model	Task
A compilation of data sets, Al models, and tasks needed to perform learning and inspection	A set of data used for learning and validation (image data, pixel marking information, etc.)	A computational model for making predictions and decisions based on data set learning results	The inspection processing flow



■ Specifications

	Item	Development license	Run-time license	
Project Number of projects Number of users		16 projects/computer		
		16 users/computer		
	Number of sets	128 sets/project	-	
Doto oot	Number of registered images	10,000 images/set	-	
Data set	Registrable image formats	jpg, jpeg, png, bmp	-	
	Resolution	100 MP (10,000 × 10,000)	-	
	Number of sets	128 sets/project	-	
Al model	Number of simultaneously executable learning processes	8 models/computer*1*2	-	
	Number of sets	16 sets/project		
	Number of simultaneously executable tasks	4 tasks/computer		
Task	Number of executable Al 8 models/task*3		s/task*3	
Number of connectable cameras		8 units/computer*4		
	Number of connectable programmable controllers	4 units/computer		
Accessible CPU module		MELSEC iQ-R/iQ-F/-Q/-L Series		
Connection method		MELSOFT connection		

^{*1: 4} models each for anomaly detection and defective point detection.

■ Connectable industrial camera specifications

Hardware standards	Software standards
Conforms to GigE Vision® (Ver. 2.0)	Conforms to GenlCam™ (Ver. 3.2.0)

Note 1: For information on usable industrial cameras, please refer to Technical Bulletin FA-A-0419.

Note 2: "Connectable" means the following:

Since it is possible to browse to a folder on the computer and perform AI inspection on stored images, cameras which do not meet the above specifications can also be used.

■ Computer specifications

Development license				
Item	Recommended	Minimum		
CPU	Intel® Core-i7™ 9th generation (October 2018) or higher	Intel® Core-i5™ 9th generation (October 2018) or higher		
GPU*	NVIDIA® GPU Ampere Architecture or higher Memory: 8 GB or more	NVIDIA® GPU Pascal™ Architecture or higher Memory: 6 GB or more		
Memory	32 GB or more	16 GB or more		
Microsoft® Windows® 10 Version 21H2 or later (Pro, Enterprise, IoT Enterprise)				
OS (64-bit version)	Microsoft® Windows® 11 Version 22H2 or later (Pro, Enterprise)			
Free storage space	512 GB or more	256 GB or more		

Run-time license				
Item	Recommended	Minimum		
CPU	Intel® Core-i7™ 9th generation (October 2018) or higher	Intel® Core-i5™ 9th generation (October 2018) or higher		
GPU*	NVIDIA® GPU Pascal™ Architecture or higher Memory: 6 GB or more	NVIDIA® GPU Pascal™ Architecture or higher Memory: 4 GB or more		
Memory	16 GB or more	8 GB or more		
00 (04 hit	ro, Enterprise, IoT Enterprise)			
OS (64-bit version)	Microsoft® Windows® 11 Version 22H2 or later (Pro, Enterprise)			
Free storage space	256 GB or more 128 GB or more			
* Not required for use with enemaly detection All only				

^{*:} Not required for use with anomaly detection AI only.

^{*2:} Defective point detection uses 2.4 Gbytes of GPU memory per model.

^{*3:} Tasks using defective point detection use 2.4 Gbytes of GPU memory per task.

^{*4:} When multiple cameras are connected, phenomenon such as noise may occur in images due to resolution or network conditions. It is recommended that network cards be separated.

[·] Camera-side parameters (exposure time or white balance) can be adjusted in this product.

 $[\]cdot$ Image capture command can be issued directly by this product.

■ Mitsubishi Electric FA Global Website Visual Inspection Software MELSOFT VIXIO

Mitsubishi Electric FA Global Website: www.MitsubishiElectric.com/fa

Trial version download

A trial version of MELSOFT VIXIO can be downloaded from the Mitsubishi Electric FA Global Website.


www.MitsubishiElectric.com/fa/products/ software/image-processing/vixio/index.





How to install

Here are the steps to install MELSOFT VIXIO.



Discover the latest information in Factory Automation

Factory Automation Global website

Mitsubishi Electric Factory Automation provides a mix of services to support its customers worldwide. A consolidated global website is the main portal, offering a selection of support tools and a window to its local Mitsubishi Electric sales and support network.

From here you can find:

- Overview of available factory automation products
- · Library of downloadable literature
- Support tools such as online e-learning courses, terminology dictionary, etc.
- Global sales and service network portal
- Latest news related to Mitsubishi Electric factory automation

Mitsubishi Electric Factory Automation Global website: www.MitsubishiElectric.com/fa



Mitsubishi Electric FA e-Learning

An extensive library of e-learning courses covering the factory automation product range.

Courses from beginner to advanced levels of difficulty are available anytime anywhere.



Beginner level

Designed for newcomers to Mitsubishi Electric Factory Automation products gaining a background of the fundamentals and an overview of various products related to the course.

Basic to Advanced levels

Various different features are explained along with setup, programming, and network configuration.

Innovative next-generation

e-Manual

A next-generation digital manual that consolidates factory automation products manuals into an easy-touse package with various useful features.

e-Manual Viewer

Multiple manuals can be cross-searched at once. Multiple users can share the latest manuals and knowhow with document sharing function.



e-Manual Create

Software for converting word files and chm files to e-Manual documents. User's customized machine manuals can be converted to e-Manual documents, allowing consolidated management of user's maintenance information and Mitsubishi Electric product information.

Find information on products, factory automation, e-F@ctory solutions and other topics

Follow us on Social Media

YouTube



LinkedIn



X




CC-Link Partner Association (CLPA) - Actively promoting worldwide adoption of CC-Link Family

Proactively supporting CC-Link Family, from promotion to specification development

The CC-Link Partner Association (CLPA) was established to promote the worldwide adoption of the CC-Link open-field network. In 2018, CLPA has developed CC-Link IE TSN, the world's first open industrial network utilizes Time-Sensitive Networking (TSN) technology, which is an extension of standard Ethernet, to accelerate the construction of smart factories utilizing Industrial IoT (IIoT). By conducting promotional activities such as organizing trade shows and seminars, conducting conformance tests, and providing catalogs, brochures and website information, CLPA activities are successfully increasing the number of CC-Link partner manufacturers and CC-Link Family-compatible products. CLPA will provide a variety of development methods and develop a truly open industrial network on a global scale.







inar

how Conformance testing lab

■ Visit the CLPA website for the latest CC-Link Family information.



CLPA website www.cc-link.org/en



CLPA Headquarters 6F Ozone Front Bldg. 3-15-58 Ozone Kita-ku, Nagoya 462-0825, JAPAN TEL: +81-52-919-1588 FAX: +81-52-916-8655 e-mail: info@cc-link.org

Global influence of CC-Link Family continues to spread

Centered in Japan, the CLPA has established bases of operations in 10 regions around the world. We lead the way in further opening up CC-Link Family network technology to the world. From helping vendors develop compatible products to consultation concerning system construction for our users, we provide a wide range of support services.



: Conformance testing lab



- GenlCam is a trademark of EMVA. GigE Vision is a registered trademark of A3 Vision & Imaging.

- Intel Core is a trademark of Intel Corporation or its subsidiaries.
 Microsoft and Windows are trademarks of the Microsoft group of companies.
 NVIDIA and Pascal are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and/or other countries.
 Trademark symbols such as "TM" and "B" might be omitted in this document.

Precautions before use

This publication explains the typical features and functions of the products herein and does not provide restrictions or other information related to usage and module combinations. Before using the products, always read the product user manuals. $\label{eq:missing} \mbox{Mitsubishi Electric will not be held liable for damage caused by factors found not to}$ be the cause of Mitsubishi Electric; opportunity loss or lost profits caused by faults in Mitsubishi Electric products; damage, secondary damage, or accident compensation, whether foreseeable or not, caused by special factors; damage to products other than Mitsubishi Electric products; or any other duties.

for safe use

- To use the products given in this publication properly, always read the relevant manuals before beginning operation.
- The products have been manufactured as general-purpose parts for general industries, and are not designed or manufactured to be incorporated in a device or system used in purposes related to human life.
- Before using the products for special purposes such as nuclear power, electric power, aerospace, medicine or passenger-carrying vehicles, consult with Mitsubishi
- The products have been manufactured under strict quality control. However, when installing the products where major accidents or losses could occur if the products $% \left(1\right) =\left(1\right) \left(1$ fail, install appropriate backup or fail-safe functions in the system.

Automating the World

Creating Solutions Together.





Low-voltage Power Distribution Products



Transformers, Med-voltage Distribution



Power Monitoring and Energy Saving Products



Power (UPS) and Environmental Products



Compact and Modular Controllers



Servos, Motors and Inverters



Visualization: HMIs



Edge Computing Products



Numerical Control (NC)



Collaborative and Industrial Robots



Processing machines: EDM, Lasers



SCADA, analytics and simulation software

Mitsubishi Electric's product lineup, from various controllers and drives to energy-saving devices and processing machines, all help you to automate your world. They are underpinned by software, innovative data monitoring, and modelling systems supported by advanced industrial networking and Edgecross IT/OT connectivity. Together with a worldwide partner ecosystem, Mitsubishi Electric factory automation (FA) has everything to make IoT and Digital Manufacturing a reality.

With a complete portfolio and comprehensive capabilities that combine synergies with diverse business units, Mitsubishi Electric provides a one-stop approach to how companies can tackle the shift to clean energy and energy conservation, carbon neutrality and sustainability, which are now a universal requirement of factories, buildings, and social infrastructure.

We at Mitsubishi Electric FA are your solution partners waiting to work with you as you take a step toward the realization of sustainable manufacturing and society through the application of automation. Let's automate the world together!

Sales office

MITSUBISHI ELECTRIC Factory Automation Global Website

► Locations Worldwide

www.MitsubishiElectric.com/fa/about-us/overseas/







Mitsubishi Electric's e-F@ctory concept utilizes both FA and IT technologies, to reduce the total cost of development, production and maintenance, with the aim of achieving manufacturing that is a "step ahead of the times". It is supported by the e-F@ctory Alliance Partners covering software, devices, and system integration, creating the optimal e-F@ctory architecture to meet the end users needs and investment plans.



MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE: TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN