

Cookie Policy

Pepperstone EU Limited

Company no: HE 398429
CIF Licence No: 388/20
Date Updated: August 2023

1. Introduction

Pepperstone EU Limited (“Pepperstone”, “we”, “us”, “our”) uses Cookies when you visit a website related to us.

Protecting your privacy and personal data is very important to us. We’re committed to ensuring that we provide you with the relevant information and tools so that you can manage your cookie preferences.

2. What are cookies?

A cookie is a small file which asks permission to be placed on your computer’s hard drive. Once you agree, the file is added and the cookie helps analyse web traffic or lets businesses know when you visit a particular website. Cookies allow web applications to respond to you as an individual.

Cookies help us provide you with a better website by enabling us to monitor the pages that you find useful and tailor our website to your needs, likes and dislikes by gathering and remembering information about your preferences.

The cookies that we use can’t execute code or deliver any viruses. We only ever use cookies for the essential functioning of our website, for analytical purposes to provide you with a great client experience, and for marketing, so that we serve you with content that’s in line with your interests, based on your activity on our website.

3. Our cookies

We use a number of cookies¹ to provide you and other users with our products and services via our website and trading platform.

Please be aware that if you choose not to accept cookies, you may not be able to take full advantage of our website.

3.1 How we use cookies

The cookies used by our websites:

- **Do not** store any personal data such as passwords
- **Do not** access any other information stored on your computer
- **Do not** compromise the security of your device(s)

¹ The exact cookies used may change from time to time.

- **Do** allow us to provide a service through which people can access their trading account(s)
- **Do** allow us to monitor the number of people using our website
- **Do** allow us to see how people arrive at our website (for example, via search engine or via email)
- **Do** allow us to gather technical information about people using our website, such as their geographical location and the type of web browsers they are using
- **Do** allow us to display advertisements on other websites to people who've previously accessed our websites (for example, banner ads). We can't identify the individuals who are served with these ads
- **Do** allow us to display content on our websites that's more relevant to you and your preferences, based on the information we hold and your behaviour on our website
- **Do** allow our website to recall certain settings and preferences to make it easier to use our website

3.2 The types of cookies we use

We categorise our cookies into three categories, essential, analytical and marketing/targeting. While the cookies that we use may change from time to time as we improve and update our website, we use them for the following purposes:

3.2.1 Essential Cookies

These are cookies that are essential to the functioning of our website and our products and services. An essential function includes enabling you to complete trading account applications, remembering your login details, initiating web chat with our support team or other website functionality. You can't deactivate these cookies as without them we are unable to provide our website to you.

Name	Party	Type	Purpose
AWSALB	AWS	Third-party	Allow us to maintain sticky sessions across our Cloud Infrastructure.
AWSALBCORS	AWS	Third-party	Allow us to maintain the correct security configuration across our Cloud Infrastructure.
BrowserId_sec	Salesforce	Third-party	Used for security protections.
BrowserId_sec	Salesforce	Third-party	Used for security protections.
force-proxy-stream	Salesforce	Third-party	Ensures that client requests hit the same proxy hosts and are more likely to retrieve content from cache.

Name	Party	Type	Purpose
force-stream	Salesforce	Third-party	Used to redirect server requests for sticky sessions.
gtmEnabled	Pepperstone	First-party	Used by Pepperstone to determine to load Google Tag manager based on the users cookie preferences.
hl	Pepperstone	First-party	Used by Pepperstone to allow us to store information about which preferred language the user has selected so we can optimise the users experience.
language	Salesforce	Third-party	Identifies the language for custom components, surveys, and flows, which support multiple languages. Without this cookie, translations for custom features can appear incorrectly.
loadCookiesWithoutConsent	Pepperstone	First-party	Used by Pepperstone to determine if the website is able to load cookies without explicit consent of the user.
origin-country	Pepperstone	First-party	Used by Pepperstone to optimise your experience for your country of origin.
pep_last_url	Pepperstone	First-party	Used to determine the last visited URL on the website to optimise the user experience.
sfdc-stream	Salesforce	Third-party	Used to properly route server requests within Salesforce infrastructure for sticky sessions.
website_locale	Pepperstone	First-party	Used by Pepperstone to suggest an appropriate licence for a user based on their region.

Name	Party	Type	Purpose
_legacy_auth0.TTOjv6ttygclbG6rsJXR2Mqz9GaM8aOq.is.authenticated	Auth0	Third-party	For user authentication.
auth0.TTOjv6ttygclbG6rsJXR2Mqz9GaM8aOq.is.authenticated	Auth0	Third-party	For user authentication.
__cf_bm	Cloudflare	Third-party	Part of Cloudflare's Bot Management service and helps manage incoming traffic that matches criteria associated with bots.
__cfuid	Cloudflare	Third-party	To support Cloudflare Rate Limiting products.
_GRECAPTCHA	Google	Third-party	Used to protect against malicious bots.
acceptedCookies	Pepperstone	First-party	Used by Pepperstone to determine whether the user made a choice regarding cookie preferences.
analyticalCookiesEnabled	Pepperstone	First-party	Used by Pepperstone to determine if the website is able to load analytical cookies. True/false is set based on the user's choice.
gtmEnabled	Pepperstone	First-party	Used by Pepperstone to determine to load Google Tag manager based on the users cookie preferences.
loadCookiesWithoutConsent	Pepperstone	First-party	Used by Pepperstone to determine if the website is able to load cookies without explicit consent of the user.
locale	Pepperstone	First-party	Used by Pepperstone to store the preferred locale (language) for the user.
marketingCookiesEnabled	Pepperstone	First-party	Used by Pepperstone to determine if the website is able to load marketing cookies. True/false is set based on the user's choice.
stored_location	Pepperstone	First-party	Used by Pepperstone to deep link users into the Secure Client Area (SCA).

Name	Party	Type	Purpose
website_locale	Pepperstone	First-party	Used by Pepperstone to suggest an appropriate licence for a user based on their region.
hl	Pepperstone	First-party	Used by Pepperstone to allow us to store information about which preferred language the user has selected so we can optimise the users experience.
pep_last_url	Pepperstone	First-party	Used to determine the last visited URL on the website to optimise the user experience
BrowserId_sec	Salesforce	Third-party	Used for security protections.
BrowserId_sec	Salesforce	Third-party	Used for security protections.
force-proxy-stream	Salesforce	Third-party	For cache management for Salesforce integrations, e.g. live chat.
force-stream	Salesforce	Third-party	For session management for Salesforce integrations, e.g. live chat.
language	Salesforce	Third-party	Stores the language for Salesforce integrations, e.g. live chat.
sfdc-stream	Salesforce	Third-party	For session management for Salesforce integrations, e.g. live chat.
sfdc-stream	Salesforce	Third-party	For session management for Salesforce integrations, e.g. live chat.
AMP_ba62b82db2	Sentry	Third-party	For client side application logging.
AMP_MKTG_ba62b82db2	Sentry	Third-party	For client side application logging.
anonId	Sentry	Third-party	For client side application logging.

Name	Party	Type	Purpose
gsID	Sentry	Third-party	For client side application logging.
sentry-sc	Sentry	Third-party	For client side application logging.
session	Sentry	Third-party	For client side application logging.
auth0	Auth0	Third-Party	For user authentication.
auth0_compat	Auth0	Third-Party	For user authentication.
gtmEnabled	Pepperstone	First-party	Used by Pepperstone to determine to load Google Tag manager based on the users cookie preferences.
loadCookiesWithoutConsent	Pepperstone	First-party	Used by Pepperstone to determine if the website is able to load cookies without explicit consent of the user.
_pa_iid	Phrase	Third-Party	Phrase related essential.
_pa_vid	Phrase	Third-Party	Phrase related essential.
mp_7ee5623b0363d19908a81c8e4e3a62a7_mixpanel	Phrase	Third-Party	Phrase related essential.
OptanonAlertBoxClosed	Optanon	Third-Party	To manage cookie consent by third party integrations (Phrase).
OptanonConsent	Optanon	Third-Party	To manage cookie consent by third party integrations (Phrase).
did	Auth0	Third-Party	For user authentication.
did_compat	Auth0	Third-Party	For user authentication.

3.2.2 Analytical

These cookies help us to understand how visitors use our website. These are set by us or our third-party analytics providers and allow us to record certain information about you, such as the pages you visit on our website, how many times you visit and the links that you click on. We use this information to improve our website, such as tailoring the website to your personal preferences and ensuring that it's optimised to remove confusing or ineffective content.

Name	Party	Type	Purpose
_ga	Google	Third-party	Used to identify unique users.
ga{id}	Google	Third-party	Used to persist session state.
_gid	Google	Third-party	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
_hjAbsoluteSessionInProgress	HotJar	Third-party	Used by Hotjar to detect the first pageview session of a user.
_hjFirstSeen	HotJar	Third-party	This is a Hotjar cookie that tells us if this is the first time you've visited the site.
hjIncludedInSessionSample{number}	HotJar	Third-party	Set to determine if a user is included in the data sampling defined by your site's daily session limit.
hjSession{number}	HotJar	Third-party	Holds current session data, and ensures subsequent requests in the session window are attributed to the same session.
hjSessionUser{number}	HotJar	Third-party	Set when a user first lands on a page. Persists the Hotjar User ID which is unique to that site. Hotjar does not track users across different sites. Ensures data from subsequent visits to the same site are attributed to the same user ID.
_pa_aaid	Pepperstone	First-party	Used by Pepperstone to allow us to optimise the web experience.

Name	Party	Type	Purpose
1P_JAR	Google	Third-party	This cookie carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.
AEC	Google	Third-party	Ensure that requests within a browsing session are made by the user, and not by other sites.
ajs_anonymous_id	Segment	Third-party	Used by Segment as a unique ID generated on first view of the website. This ID is used to anonymously track user behaviour on our website.
NID	Google	Third-party	The NID cookie contains a unique ID Google uses to remember your preferences and other information, such as your preferred language (e.g. English), how many search results you wish to have shown per page (e.g. 10 or 20), and whether or not you wish to have Google's SafeSearch filter turned on.
OTZ	Google	Third-party	Used by Google Analytics. Provides an aggregate analysis of Website visitors.
SID	Google	Third-party	This cookie is used by Google in combination with HSID to verify a Google user account and most recent login time.
SIDCC	Google	Third-party	Google Analytics uses this security cookie to protect a user's data from unauthorised access.
SSID	Google	Third-party	This cookie carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.

Name	Party	Type	Purpose
fs_uid	FullStory	Third-party	Used by FullStory to store a unique user id
_cc_id	crwdcntrl.net	Third-party	To collect statistical information in an anonymous form about the visitors of the website.
_ga_3JKYB4GBBY	Google	Third-party	Used to identify unique users.
_ga_3SV70MBHMY	Google	Third-party	Used to identify unique users.
_ga_5ZMXTY89BY	Google	Third-party	Used to identify unique users.
_ga_HSN7E71Y43	Google	Third-party	Used to identify unique users.
UULE	Google	Third-party	Sends precise location information from a user's browser to Google's servers so that Google can show location relevant result.
X	Google	Third-party	Google related analytics.
_hjCachedUserAttributes	HotJar	Third-party	Used by Hotjar to store user attributes.
_hjIncludedInSessionSample_63179	HotJar	Third-party	Used by Hotjar to determine user participation in data sampling.
_hjSession_63179	HotJar	Third-party	Used by Hotjar to provide functions across pages.
_hjSessionUser_1635800	HotJar	Third-party	Used by Hotjar to store a unique user id.
_hjSessionUser_61521	HotJar	Third-party	Used by Hotjar to store a unique user id.
optimizelyEndUserId	Optimizely	Third-party	Used by Optimizely to store a unique user id.

Name	Party	Type	Purpose
oribili_user_guid	Oribi	Third-party	Used to count unique visitors to a website.
_parrable_id	Parrable	Third-party	Used to identify unique users.
_cq_duid	CHEQ AI	Third-party	This cookie is set by CHEQ AI Technologies. Used to monitor the technical information and use of devices that connect to our website to protect it from malicious traffic.
_cq_suid	CHEQ AI	Third-party	This cookie is set by CHEQ AI Technologies. Used to monitor the technical information and use of devices that connect to our website to protect it from malicious traffic.
ajs_user_id	Segment	Third-party	To store a user's anonymous ID.
ajs_user_id	Segment	Third-party	To store a user's Secure Client Area ID.
ko_id	Segment	Third-party	Segment related analytics.
ko_sid	Segment	Third-party	Segment related analytics.
notice_behavior	TrustArc	Third-party	Trusted user detection.
_ga_J2EQJSNGG3	Google	Third-Party	Used to identify unique users.
_ga_W6QYGB73BE	Google	Third-Party	Used to identify unique users.

Name	Party	Type	Purpose
_gat	Google	Third-Party	Used to identify unique users.
_gid	Google	Third-party	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
_hjSessionUser_605312	HotJar	Third-Party	Used by Hotjar to store a unique user id.
__hssrc	HubSpot	Third-Party	To store a unique session id.
__hstc	HubSpot	Third-Party	To store time of visit.
_hjSessionUser_3270412	Phrase	Third-Party	Used by Hotjar to store a unique user id.
hubspotutk	HubSpot	Third-Party	To store and track a visitor's identity.
cb_anonymous_id	Segment	Third-party	Segment related analytics
mutiny.user.token	Segment	Third-party	Segment related analytics

3.3.3 Marketing/targeting

These cookies help us and our partners to understand what you're interested in on our website and on social media so we can provide you with a more personalized marketing experience. They can track your browsing history and online activities across websites to create a profile of your activities and interests. They don't directly store personal information – they're based on uniquely identifying your browser and internet device only. We share this information with our third party marketing partners to enable us to serve you with relevant advertising when you visit other sites (e.g. to remind you of products or services that you might have shown an interest in or to provide you with special offers). We also work with third parties who may place cookies on your web browser to enable us and other advertisers to serve you with advertising based on your browsing and online search activity.

If you don't allow these cookies, you'll experience less targeted advertising. We adhere to industry accepted best practice regarding our use of marketing cookies. For more information, please refer to the Internet Advertising Bureau's website here: <https://www.iabuk.com/>.

Name	Party	Type	Purpose
__adroll	Adroll	Third-party	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
__adroll_fpc	Adroll	Third-party	This cookie is used to identify the visitor across visits and devices. It is used by real-time bidding for advertisers to present relevant advertisements.
__adroll_shared	Adroll	Third-party	Used for marketing and retargeting.
__ar_v4	Adroll	Third-party	Optimises ad display based on the user's movement combined and various advertiser bids for displaying user ads.
__Secure-1PAPISID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-1PSID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-1PSIDCC	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.

Name	Party	Type	Purpose
__Secure-3PAPISID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-3PSID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-3PSIDCC	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
_fbp	FaceBook	Third-party	Used by Facebook to deliver a series of advertisement products such as real-time bidding from third party advertisers.
_gcl_au	Google	Third-party	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services. The main purpose of this cookie is: Targeting/Advertising.
_rdt_uuid	Reddit	Third-party	Used to attribute conversions back to Reddit Ads.
_uetSID	Bing	Third-party	This contains the session ID for a unique session on the site.
_uetvid	Bing	Third-party	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.
1P_JAR	Google	Third-party	This cookie carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.
A3	Yahoo	Third-party	Used by Yahoo for targeted advertising.
AnalyticsSyncHistory	LinkedIn	Third-party	Used to store information about the time a sync took place with the lms_analytics cookie.

Name	Party	Type	Purpose
anj	AdNXS	Third-party	Contains data denoting whether a cookie ID is synced with our partners.
APISID	Google	Third-party	These cookies are used by Google to display personalized advertisements on Google sites, based on recent searches and previous interactions.
audit	Rubicon Project	Third-party	Set by Rubicon Project to record cookie consent data.
bcookie	LinkedIn	Third-party	Browser Identifier cookie to uniquely identify devices accessing LinkedIn to detect abuse on the platform.
c	Bidswitch	Third-party	Regulates synchronisation of user identification and exchange of user data between various ad services.
CMID	Casalemedia	Third-party	This cookie is used to record your browsing activity, with the purpose of displaying targeted ads.
CMPRO	Casalemedia	Third-party	This cookie is used to record your browsing activity, with the purpose of displaying targeted ads.
CMPS	Casalemedia	Third-party	This cookie is used to record your browsing activity, with the purpose of displaying targeted ads.
DV	Google	Third-party	Used for the purpose of targeted advertising.
guest_id	Twitter	Third-party	This cookie is for authentication.
guest_id_ads	Twitter	Third-party	This cookie is for advertising when logged out.
guest_id_marketing	Twitter	Third-party	This cookie is for advertising when logged out.
HSID	Google	Third-party	These cookies are used by Google to display personalized advertisements on Google sites, based on recent searches and previous interactions.

Name	Party	Type	Purpose
i	OpenX	Third-party	Includes a random string created to recognize your device for the purpose of delivering advertisements, as well as the timestamp of the string's creation.
IDE	Double Click	Third-party	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.
IDSYNC	Yahoo	Third-party	These cookies are used for advertising and marketing purposes. We use these cookies to know that a visitor has been on our site before which allows us (or a third party) to display an appropriate advertisement on another website.
khaos	Rubicon Project	Third-party	Set by Rubicon Project as an Internal user identifier used for analytics.
KRTBCOOKIE_10	Pubmatic	Third-party	Used by Pubmatic to correlate our IDs with those of their partners (such as demand side platform clients or other advertising technology companies). They pass the information stored by the partner in this cookie to the partner when it is considering whether to purchase advertisements. This enables the partner to make better decisions about whether to display an advertisement to you.
li_sugr	LinkedIn	Third-party	Used to make a probabilistic match of a user's identity outside the Designated Countries.
lidc	LinkedIn	Third-party	Used to facilitate data center selection.
ln_or	LinkedIn	Third-party	Used to determine if Oribi analytics can be carried out on a specific domain.
MR	Bing	Third-party	Indicates whether to refresh MUID.

Name	Party	Type	Purpose
muc_ads	Twitter	Third-party	This cookie is for advertising.
MUID	Bing	Third-party	Identifies unique web browsers visiting Pepperstone sites. These cookies are used for advertising, site analytics, and other operational purposes.
OTZ	Google	Third-party	Used by Google Analytics. Provides an aggregate analysis of Website visitors.
personalization_id	Twitter	Third-party	This cookie tracks activities on and off Twitter for a personalized experience.
PugT	Pubmatic	Third-party	This cookie tracks when cookies were updated on the browser, in order to limit the number of calls to the server-side cookie store.
SAPISID	Google	Third-party	This DoubleClick cookie is generally set through the site by advertising partners, and used by them to build a profile of the website visitor's interests and show relevant ads on other sites. This cookie works by uniquely identifying your browser and device.
SSID	Google	Third-party	This cookie carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.
t_gid	Taboola	Third-party	Assigns a unique User ID that Taboola uses for attribution and reporting purposes, and to tailor recommendations to this specific user.
tluid	3lift	Third-party	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites – the exchange of visitor data is normally provided by a third-party data-center or ad-exchange.

Name	Party	Type	Purpose
tuuid	Bidswitch	Third-party	This cookie has a unique user ID (randomly created by IPON/Bidswitch) on the basis of which Bidswitch can remember what banners you have seen and if you have visited the website of an advertiser. Bidswitch uses this information only for that specific advertiser to be able to determine when and how often you will see a certain banner.
tuuid_lu	Bidswitch	Third-party	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
UserMatchHistory	LinkedIn	Third-party	Used for id sync process. It stores the last sync time to avoid repeating the syncing process in a frequent manner.
uuid2	AdNXS	Third-party	This cookie contains a unique randomly-generated value that enables the Platform to distinguish browsers and devices. We use this cookie to measure how often people do things like click on or view ads.
__adroll_fpc	Adroll	Third-party	This cookie is used to identify the visitor across visits and devices. It is used by real-time bidding for advertisers to present relevant advertisements.
__ar_v4	Adroll	Third-party	Optimises ad display based on the user's movement combined and various advertiser bids for displaying user ads.
cb_group_id	Adroll	Third-party	For Adroll & Clearbit marketing integration.
cb_user_id	Adroll	Third-party	For Adroll & Clearbit marketing integration.

Name	Party	Type	Purpose
_uetvid	Bing	Third-party	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.
DSID	Double Click	Third-party	Used by Google DoubleClick to identify a signed-in user on non-Google sites and to remember whether the user has agreed to ad personalization.
IDE	Double Click	Third-party	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.
_fbp	FaceBook	Third-party	Used by Facebook to deliver a series of advertisement products such as real-time bidding from third party advertisers.
__Secure-1PAPISID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-1PSID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-1PSIDCC	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-1PSIDTS	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-3PAPISID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-3PSID	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
__Secure-3PSIDCC	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.

Name	Party	Type	Purpose
__Secure-3PSIDTS	Google	Third-party	Profiles the interests of website visitors to serve relevant and personalised ads through retargeting.
_gcl_au	Google	Third-party	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services. The main purpose of this cookie is: Targeting/Advertising.
_gcl_au	Google	Third-party	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services. The main purpose of this cookie is: Targeting/Advertising.
1P_JAR	Google	Third-party	To provide ad delivery or retargeting.
APISID	Google	Third-party	These cookies are used by Google to display personalized advertisements on Google sites, based on recent searches and previous interactions.
DV	Google	Third-party	Used for the purpose of targeted advertising.
HSID	Google	Third-party	These cookies are used by Google to display personalized advertisements on Google sites, based on recent searches and previous interactions.
OTZ	Google	Third-party	Used by Google Analytics. Provides an aggregate analysis of Website visitors.
SAPISID	Google	Third-party	This DoubleClick cookie is generally set through the site by advertising partners, and used by them to build a profile of the website visitor's interests and show relevant ads on other sites. This cookie works by uniquely identifying your browser and device.

Name	Party	Type	Purpose
SSID	Google	Third-party	This cookie carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.
mkjs_group_id	MadKudu	Third-party	Used by MadKudu to store a unique user id.
mkjs_user_id	MadKudu	Third-party	Used by MadKudu to store a group/account id.
_rdt_uuid	Reddit	Third-party	Used to attribute conversions back to Reddit Ads.
cb_anonymous_id	Segment	Third-party	Used to collect visitor behavior data to present more relevant advertisement.
mutiny.user.token	Mutiny	Third-party	Segment related marketing.
_uetvid	Bing	Third-party	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.
DSID	DoubleClick	Third-Party	DoubleClick related marketing.
_gcl_au	Google	Third-party	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services. The main purpose of this cookie is: Targeting/Advertising.

4. How to manage your Cookie Preferences

You can manage your cookie preferences for analytical and marketing cookies through your browser settings.

Please be aware that if you choose not to accept cookies, you may not be able to take full advantage of our website or our trading platform.

Google Chrome

- At the top right of your browser, click the three vertical dots, then 'settings'
- Scroll to the bottom of the page and click 'advanced'
- Under 'privacy and security', click 'site settings'
- To enable cookies, head to the cookies section and tick 'allow sites to save and read cookie data (recommended). This option enables both first and third-party cookies
- To allow only Pepperstone cookies, enable 'block third-party cookies'
- To disable cookies, click 'see all cookies and site data', then click 'remove all'
- There are multiple levels of cookie enablement in Chrome. For more information, click [here](#).

Safari

- In the menu bar, select 'Safari', then choose 'preferences'
- Click on 'Privacy'
- To prevent trackers from using cookies to track you, select 'prevent cross-site tracking'
- To disable cookies, select 'block all cookies'
- For more information, click [here](#).

Microsoft Internet Explorer (versions 9–11)

- Select 'Tools' from the top of your browser's window
- Choose 'Internet Options'
- Navigate to the 'Privacy' tab
- Click 'Advanced'. Here you can choose to 'Accept' 'Block' or 'Prompt' both first and third-party cookies
- To disable cookies, tick 'Block'
- There are multiple levels of cookie enablement in Internet Explorer. For more information, click [here](#).

Mozilla Firefox


- Click the menu button and choose 'content blocking'
- If 'standard' is selected, you are currently enabling cookies
- To block cookies, select 'custom' and click 'cookies' before selecting an option
- There are multiple levels of cookie enablement in Firefox. For more information, click [here](#).

5. General Information

To find out more about how you can block, delete or manage cookies, please visit www.aboutcookies.org

For more information on how we handle your data please see our [Privacy Policy](#).

If you have any questions or concerns please email: support@pepperstone.com.



3 Myronos Str.
Limassol 3035
Cyprus

Support:
+357 25 030573

www.pepperstone.com
support@pepperstone.com