# **Reliable Connections**

# for Irrigation Systems





- · Lawn & Garden
- · Commercial Irrigation Systems
- · Residential Irrigation Systems











## 1-Ear Clamps with Mechanical Interlock 155

**155** stainless steel 10.5 – 116.0 mm

- **Mechanical interlock:** a mechanical connection which keeps the clamp securely closed
- · Fast and simple installation

Item No.	Size Ref. (mm)	PE2406 Pipe Size (in)	PSI Rating	
15500011	198	1/2"	80	
15500012	210	1/2"	100	
15500015	256	3/4"	80	
15500016	271	3/4"	100	
15500019	316	1"	125	
15500020	331	1"	80 & 100	

Item No.	Size Ref. (mm)	PE3408 / PE4710 Pipe Size (in)	PSI Rating
15500011	198	1/2"	100
15500012	210	1/2"	125
15500015	256	3/4"	100
15500016	271	3/4"	125
15500019	316	1"	80
15500020	331	1"	100
15500021	346	1"	125



## **Irrigation Service Clamp Kit**

#### Item No. 18500144

Kit comes in a compact carry case that contains assorted sizes of Oetiker stainless steel, 1-Ear Clamps with Mechanical Interlock and one Oetiker manual installation pincer.

#### Kit Contents:

Qty.	Size Ref. (mm)	Item No.
20 ea.	198	15500011
40 ea.	210	15500012
72 ea.	271	15500016
60 ea.	331	15500020
12 ea.	425	15500027
6 ea.	485	15500031
1 ea.	Single Action Pincer, Standard Jaws	14100396



# PEACE OF MIND

Oetiker clamps and assembly tools are designed to work together to deliver consistent leak-free connections for irrigation systems.

## PEACE OF MIND FROM RELIABLE CONNECTIONS

Over 80 years of experience and proven quality in clamps and connecting technologies has made Oetiker the "go-to" manufacturer for connecting solutions that ensure the performance of irrigation systems.



## IRRIGATION CONNECTIONS FOR POLYETHYLENE PIPE



## StepLess® Ear Clamps 167

(Heavy Duty Series 908R)

**167** stainless steel 24.5 – 120.5 mm

- 360° StepLess®: uniform compression and uniform surface pressure
- $\cdot$  Heavy duty clamp is ideal for large poly pipe applications

Item No.	Size Ref. (mm)	PE2406 Pipe Size (in)	PSI Rating
16700297	33.1	1"	100
16700299	34.6	1"	125
16700308	41.0	1-1/4"	80
16700309	42.5	1-1/4"	100
16700313	48.5	1-1/2"	80
16700744	51.0	1-1/2"	100

Item No.	Size Ref. (mm)	PE3408 / PE4710 Pipe Size (in)	PSI Rating
16700297	33.1	1"	125
16700308	41.0	1-1/4"	100
16700309	42.5	1-1/4"	125
16700313	48.5	1-1/2"	70
16709130	50.0	1-1/2"	80
16700744	51.0	1-1/2"	100



## LOCAL ON-SITE TECHNICAL SUPPORT

Our team of highly qualified individuals bring expertise in connecting technologies in various irrigation systems, such as polyethylene pipe applications. Experience, insights and understanding of our customers' challenges puts us in a position to deliver the most intelligent solutions.

## IRRIGATION CONNECTIONS FOR POLYETHYLENE PIPE

## Worm Drive Clamps 126 & 177

#### 10.0 – 178.0 mm

- · Conforms to SAE J1508 Type "F"
- · High-quality, holds strong, connects easily



#### **Worm Drive Clamps 126**

Material 126: Stainless Steel and Plated Parts Screw: 5/16" hex-head, plated carbon steel Band: 1/2" band width, 201 stainless steel

lousing: 2	201 st	tainless	steel
------------	--------	----------	-------

Item No.	SAE Size	Diameter Range (in)
12600374	8	7/16" – 1"
12600375	10	1/2" – 1-1/16"
12600376	12	9/16" – 1-1/4"
12600377	16	11/16" – 1-1/2"
12600378	20	3/4" - 1-3/4"
12600379	24	1" – 2"
12600380	28	1-1/4" – 2-1/4"
12600381	32	1-1/2" - 2-1/2"
12600382	36	1-13/16" – 2-3/4"



#### Worm Drive Clamps 177

Material 177: All Stainless Steel Parts Screw: 5/16" hex-head, 410 stainless steel Band: 1/2" band width, 201 stainless steel Housing: 201 stainless steel

Item No.	SAE Size	Diameter Range (in)
17700339	8	7/16" – 1"
17700340	10	1/2" – 1-1/16"
17700341	12	9/16" - 1-1/4"
17700342	16	11/16" – 1-1/2"
17700343	20	3/4" – 1-3/4"
17700344	24	1" – 2"
17700345	28	1-1/4" – 2-1/4"

1-1/2" - 2-1/2"

1-13/16" - 2-3/4"

# **INSTALLATION TOOL**

17700346

17700347



- $\cdot$  For Worm Drive Clamp installation
- · Reversable socket, flip for desired 1/4" or 5/16" size
- · Flexible shaft and no-slip grip handle

Description
exible Nut Driver

Please **contact** an Oetiker representative for a complete range of product options.

### LOCALLY AVAILABLE HAND TOOLS

Oetiker's dedicated local engineer teams make full installation and removal tool recommendations, ensuring irrigation connections are installed properly and efficiently every time. These tools are locally stocked and always available



## HAND INSTALLATION PINCERS



### **Single Action Pincers**

- · Strong closing force
- · Economic design
- · Side jaw version allows clamps to be installed in confined areas with pincers held parallel to the pipe and also used like standard pincers



Item No.	Jaw Type	Handle
14100396	Standard	Standard
14100426	Standard	Extra Reach
14100446	Side	Standard



#### **Compound Action Pincers**

- · Recommended for larger diameter pipe, requiring higher closing force
- · Ergonomic grips for comfort and lower hand force
- · Curved handle options also available



Item No.	Jaw Type	Handle
14100496	Standard	Straight
14100498	Side	Straight

# **CUTTERS**



### **Hand Clamp Cutter**

- $\cdot$  Specially designed to remove ear clamps utilizing the "No-CrimpTM" jaws
- · Quick and easy ear clamp cutting
- $\cdot \, \text{Safest method of clamp removal} \\$



### **Pro Spec Hand Tube Cutter**

- · Replaceable v-shaped blade for straight cuts
- · Blade stores in jaws when locked
- · Ergonomic curved handle
- · Replacement blades: Item No. 14100506

Item No.

14100519

Item No.

14100504

Assembly & Disassembly



Please **contact** an Oetiker representative for a complete range of product options.

Videos

# 360° solution approach

# Driving innovation



Oetiker helps customers drive innovation through all phases of development by utilizing our 360° solution approach. Pioneering reliable fastening components for over 80 years, we design, test and deliver high quality connecting and assembly solutions that are simpler, smarter and stronger than ever before.









