

DualHook Adjustable Ear Clamps 259

Maximum sealing performance



Aftermarket

CVJ Aftermarket
including TPE boot



Reliable Connections

DualHook Adjustable Ear Clamp 259

Maximum Sealing Performance

An optimized interlock design supports an extra high closing force for a maximized sealing performance.

Oetiker DualHook Adjustable Ear Clamps are an innovative connecting solution specially designed to use with applications where high performance and universal features are demanded. The user-friendly and ergonomic handling help make operating processes more efficient.

The Oetiker DualHook Adjustable Ear Clamps cover a wide range of diameters while inventory stock and part numbers are reduced. Eight part numbers cover the whole range, only two part numbers cover the large end.

Applications

- CVJ Aftermarket for TPE and rubber boot applications

DualHook Adjustable Ear Clamps 259



DualHook



StepLess®

Benefits

- High strength suitable for TPE and rubber boot
- User-friendly, ergonomic handling
- High sealing performance
- Reduced inventory level due to less part numbers



Optimized interlock design: three dual hooks provide extra high force

Waved band edge with dimples: enhances band strength and avoids risk of breakage

Tongue-in-groove design: provides StepLess® feature for the whole adjustable range and a smooth sliding into the recess

Burr-free strip edges: reduced risk of damage to parts being clamped

Technical Data

Material

Stainless steel, material no. 1.4301 / UNS S30400

Corrosion resistance according to DIN EN ISO 9227
> 1000 h


Series

Size range	Width × thickness	Ear width
24.5 – 120.2 mm	9.0 × 0.6 mm	10.7 mm

Recommended closing force

3800 N

Features



Interlock by DualHook technology

The new Oetiker DualHook technology is an optimized interlock design providing extra high closing force. Three DualHook structures interlock hooks and windows from the upper and lower band with each other.

Waved band edge with dimples

For easy handling waves at both band edges provide equal stiffness along the band. This feature further enhances the band strength and avoids the risk of breakage as well as twisting and turning of the clamp on the band.

Tongue-in-groove design

The clamp has a special recess to accommodate the tongue for the whole range. The tip of the tongue is specially designed to allow for a smooth sliding into the recess while providing the StepLess® feature.

Peace of Mind

from our 360° solution approach

Aftermarket and service repair industries require products that ensure quick and easy installation, minimizing warranty claims and preventing return service repairs. As a world leading provider of innovative connecting solutions, customers count on Oetiker to provide peace of mind for aftermarket connections with OEM quality and ISO Standards. Pioneering reliable fastening components for over 75 years, we deliver high quality connecting and assembly solutions that are simpler, smarter and stronger.

