# **Reliable Connections**

for Aftermarket Distributors









**Connections and Assembly Solutions for** 

Aftermarket Distributors

**Reliable Connections** 







# MAKING WORK PROCESSES MORE EFFICIENT WITH OETIKER ALL-IN-ONE ASSORTMENT KITS

With the majority of Aftermarket auto repair happening in independent shops, the accessibility to a variety of genuine original equipment without having to buy it in bulk becomes key in offering quality service. Individual packaging options are possible depending on the volume. Reach out to your Oetiker Sales expert.



# **Expertainer for Passenger Vehicles**

For Thermal Management, Constant Velocity Joints (CVJ), Fuel Line, Steering.

Included products: StepLess® Ear Clamps 167, Adjustable Clamps 163, Adjustable Clamps 159, Manual Pincer



### **Expertainer for 2-Wheelers**

For Fuel Injection, Fuel Filter, Cooling, Air Intake, Oil Cooler Line.

Included products: StepLess® Ear Clamps 167, Adjustable Clamps 163, Worm Drive Clamps 126



# Expertainer for Constant Velocity Joints (CVJ)

For TPE and rubber boot.

Included products:
DualHook Adjustable Ear Clamps 259



#### **Refill Packs**

Available for all Expertainer products.



#### Pair Bag 159

For rubber boot.

Included products: 2× Adjustable Clamps 159 (1× large end, 1× small end)



## FULL-SERVICE TOOL AND MAINTENANCE SUPPORT

Oetiker assembly and maintenance support are managed through dedicated in-house service teams, ensuring aftermarket connections are installed properly every time.



# **SMART Sensor Monitored Assembly Repair Tool**

For assembly of Ear Clamps.

- Sensor monitoring of three forces
- Reduces necessary grip force
- Force indication with light and vibration
- Quick and easy assembly



### **Hand Installation Tools**

For assembly of Ear Clamps.

- Quick and easy installation
- Exponential gain of mechanical advantage
- Secure grip and comfort
- Reduced fatigue and risk of repetitive injury



### **Hand Clamp Cutters (HCC)**

For disassembly of Ear Clamps.

- Specially designed to remove Oetiker Ear Clamps up to 7.0 mm wide  $\times$  0.6 mm band thickness to 9.0 mm wide  $\times$  0.8 mm band thickness
- "No-Crimp™" Jaws, for cutting only
- Protective hand grip
- The easiest and safest method of ear clamp removal

### SIMPLE AND EASY INSTALLATION



1. Position clamp on the application



2. Align the jaw tips of the pincer with the ear of the clamp



3. Squeeze the ear



4. Clamp is closed



## 360° Solution Approach

## Driving innovation



Oetiker helps customers drive innovation through all phases of development by utilizing our 360° solution approach. Pioneering reliable fastening components for over 80 years, we design, test and deliver high quality connecting and assembly solutions that are simpler, smarter and stronger than ever before.









