

Wallpaper Guide

NO TWO HOUSES

Purchasing and Installing

This store carries a range of Wallpaper IT paste the wall, paste the paper, and pre-pasted wallpaper products with different properties and instructions – please refer to the back of the roll label for full hanging instructions.

Any high quality wallpaper paste/adhesive can be used to hang Wallpaper IT products.

Check the batch number on all rolls to ensure that the colours will match exactly when installed.

Vinyl wallpapers are ideal for kitchens and bathrooms because they are more moisture-resistant and splash-proof than other wallpapers.

Paintables can be left white or painted to match your décor.

How to calculate the number of rolls required

- 1 Measure walls (including doors and windows):
Height x Width to get the square footage.
- 2 Subtract 21 square feet for each door, 15 square feet for each window.
- 3 Find the pattern repeat on the wallpaper label. Solids and stripes will not list a repeat, so use 0 as the repeat.
- 4 Determine the usable yield per roll of wallpaper by consulting the chart below.
- 5 Divide the room square footage by the usable yield to determine the number of rolls needed for the project.

| Repeat Size | Usable yield/roll |
|-----------------|-------------------|
| 0 to 6 inches | 50 square feet |
| 7 to 12 inches | 44 square feet |
| 13 to 18 inches | 40 square feet |
| 19 to 23 inches | 36 square feet |

Alternatively, refer to the chart below to determine how many rolls are required for the project.

| Walls Height from Skirting Board | Distance around room in feet (doors and windows included) | | | |
|--|---|-----|-----|-----|
| | 30' | 50' | 70' | 90' |
| 7' | 4 | 7 | 10 | 12 |
| 8' | 5 | 8 | 11 | 15 |
| 9' | 6 | 9 | 12 | 16 |
| 10' | 6 | 10 | 13 | 17 |

Match Types

→|○ Free

Free match is the easiest product to hang, as no matter how the strips of wallpaper are hung next to each other, the design has no match, so no visible join or seams.

This can also mean there is less waste.

→|← Straight

The left and right edge of the wallpaper match in a straight horizontal line with the left and right edge of the next strip of paper.

If you are not sure, layout two strips next to each other and you will see the match is straight.

→|← Offset

The right hand edge of the first strip only matches with the left hand strip of the next strip, when the second wallpaper is dropped by a specified distance.

Eg. If a label states a 64/32cm offset match, the design repeats every 64cm and the point at which they match from left to right is every 32cm.

What do the symbols on the label mean?

Other symbols on the label will relate to the following:

- How easy the products are to clean
- The method of application
- Hanging direction (for example 'reverse hang alternate lengths' is occasionally used to create a seamless effect on certain designs)

Application Methods



Paste the wall

Unpasted wallpaper that does not expand when wet. To install, paste is applied to the wall. The wallpaper is then hung dry from the roll.



Prepasted

Wallpaper with a backing paper that has been treated with an adhesive and is activated by water.



Paste the paper

Unpasted wallpaper that is installed by applying paste to the paper. The wallpaper is then applied to the wall.

Washability



Spongeable

The wallcovering can only withstand light, almost dry, cleaning.



Washable

The wallpaper can be cleaned with a damp cloth and soapy water.



Scrubbable

The wallpaper can be washed or scrubbed with a brush and cleaning solution.

Removability



Peelable

The surface of the wallcovering can be stripped from the wall leaving the backing paper stuck to the wall. The backing paper can be removed by soaking with water and scraping solution.



Strippable

The wallcovering can be stripped totally from the wall without the use of water.